


www.pfcstore.com - 763-425-7890 / 800-328-2350



## GRUNDFOS - PACO LF CENTRIFUGAL PUMP 15955 20 HP

**Contact us for pricing &  
lead time**

CAST IRON/STAINLESS IMPELLER |  
BUNA MECH SEAL | 20HP TEFC PRE  
EFF, 3600RPM, 3/60/208/230-460  
VOLTS | 2 X 1.50 - IMPELLER 8.34"  
| CONNECTIONS- NPS | BEP 180  
GPM @ 245 FTH



---

**SKU:** 99426077

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Paco LF Pumps](#)

**Tags:** [GRUNDFOS/PACO PUMPS](#)

**Model Number**

11-15955-133P08-2851P

BPRNC2S101AA

**Part Number** 99426077

## PRODUCT DESCRIPTION

**LF Frame mounted centrifugal Pump**

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

- Machined Mounting Surfaces and Fabricated Base Plate – aid in alignment
  - Choice of Motor Enclosures – increases flexibility of design
  - Large Seal Chamber – allows various seal configurations and customization
- Integrally Cast Diffuser Vane – reduces turbulence and need for suction guides
- Francis Vane Impeller Design – increases efficiency and reduces NPSH required
  - Bronze Case Wear Rings – extend pump life and increase efficiency
  - Trimmed and Balanced Impellers – customization, reduced noise and vibration, & prolonged seal and bearing life

## Applications

- HVAC
- Plumbing
- Pressure Boosting
  - Industrial
  - Water Utility
  - Wastewater
  - Agriculture

**Estimated delivery is 3 to 4 weeks**

[SPEC & CURVES](#)

[PARTS GUIDE](#)

[LF Manual](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	495 lbs
<b>Dimensions</b>	42 × 24 × 24 in

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

<b>Connections</b>	<u>2 X 1.5</u>
<b>Best Efficiency Point</b>	<u>180 GPM @ 245 FTH</u>
<b>Hertz</b>	<u>60</u>
<b>Horse Power</b>	<u>20</u>
<b>Motor Type</b>	<u>TEFC</u>
<b>Phase</b>	<u>3</u>
<b>RPM</b>	<u>3600</u>
<b>Voltage</b>	<u>230-460</u>
<b>Wetted Material</b>	<u>CAST IRON-BUNA</u>