


www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS - PACO LF CENTRIFUGAL PUMP 15955 40 HP

**Contact us for pricing &
lead time**

CAST IRON/STAINLESS IMPELLER |
BUNA MECH SEAL | 30HP TEFC PRE
EFF, 3600RPM, 3/60/208/230-460
VOLTS | 2 X 1.50 - IMPELLER 9.60"
| CONNECTIONS- NPS | BEP 214
GPM @ 345 FTH



SKU: 99865389

Stock: Out of stock contact us for
lead time

Categories: [Paco LF Pumps](#)

Tags: [GRUNDFOS/PACO PUMPS](#)

Model Number

11-15955-146P08-2891P

BPRNC2S101AA

Part Number 99865389

PRODUCT DESCRIPTION

LF Frame mounted centrifugal Pump

www.pfcstore.com - 763-425-7890 / 800-328-2350

- Machined Mounting Surfaces and Fabricated Base Plate – aid in alignment
 - Choice of Motor Enclosures – increases flexibility of design
 - Large Seal Chamber – allows various seal configurations and customization
- Integrally Cast Diffuser Vane – reduces turbulence and need for suction guides
- Francis Vane Impeller Design – increases efficiency and reduces NPSH required
 - Bronze Case Wear Rings – extend pump life and increase efficiency
- Trimmed and Balanced Impellers – customization, reduced noise and vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

[SPEC & CURVES](#)

[PARTS GUIDE](#)

[LF Manual](#)

ADDITIONAL INFORMATION

| | |
|-------------------|-----------------|
| Weight | 817 lbs |
| Dimensions | 42 × 24 × 24 in |

www.pfcstore.com - 763-425-7890 / 800-328-2350

| | |
|------------------------------|--------------------------|
| Connections | <u>2 X 1.5</u> |
| Best Efficiency Point | <u>214 GPM @ 345 FTH</u> |
| Hertz | <u>60</u> |
| Horse Power | <u>40</u> |
| Motor Type | <u>TEFC</u> |
| Phase | <u>3</u> |
| RPM | <u>3600</u> |
| Voltage | <u>230-460</u> |
| Wetted Material | <u>CAST IRON-BUNA</u> |