

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS-PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna | 40HP 3-PHASE 3/60/230-460 VOLT 1775 RPM | Connections 6 x 6 Ansi | 1200 GPM @ 94 FTH | Impeller Trim 10.66"



SKU: 99831862 Stock: Out of stock contact us for lead time Categories: <u>Paco Inline Pumps</u> Tags: <u>GRUNDFOS INLINE PUMPS</u> <u>Model Number</u> 16-60125-1A0108-2892P Part Number 60125 VL

PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.



www.pfcestore.com - 763-425-7890 / 800-328-2350

Applications

- Chilled Water
- Condensed Water
 - Hot Water
 - Service Water
- District Cooling/Heating Systems
 - Boiler/Hydronic Heating
 - Air Conditioning
 - Cooling Towers
 - Pressure Boosting
 - Recreation
 - Plumbing
 - Aquaculture
 - General Industry/Power Plants
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 4 to 5 weeks

Specs & Curve

Install & Operation

ADDITIONAL INFORMATION

Weight	962 lbs
Dimensions	46 × 42 × 26 in
Best Efficiency Point	<u>1200 GPM @ 94 FTH</u>
Connections	<u>6 X 6</u>
Horse Power	<u>40</u>
Phase	<u>3</u>

PFC eStore Pumps, Filters & Controls store with B2B



www.pfcestore.com - 763-425-7890 / 800-328-2350

Voltage230-460Wetted MaterialCAST IRON-BUNA