




## GRUNDFOS-PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna |  
40HP 3-PHASE 3/60/230-460 VOLT  
1775 RPM | Connections 6 x 6 Ansi  
| 1200 GPM @ 94 FTH | Impeller  
Trim 10.66"



---

**SKU:** 99831862

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Paco Inline Pumps](#)

**Model Number**

16-60125-1A0108-2892P

**Part Number** 60125 VL

## PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.

www.pfcstore.com - 763-425-7890 / 800-328-2350

## Applications

- Chilled Water
- Condensed Water
  - Hot Water
  - Service Water
- District Cooling/Heating Systems
  - Boiler/Hydronic Heating
    - Air Conditioning
    - Cooling Towers
  - Pressure Boosting
    - Recreation
    - Plumbing
    - Aquaculture
- General Industry/Power Plants
  - Water Utility
  - Wastewater
  - Agriculture

**Estimated delivery is 4 to 5 weeks**

[Specs & Curve](#)

[Install & Operation](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	962 lbs
<b>Dimensions</b>	46 × 42 × 26 in
<b>Best Efficiency Point</b>	<a href="#"><u>1200 GPM @ 94 FTH</u></a>
<b>Connections</b>	<a href="#"><u>6 X 6</u></a>
<b>Horse Power</b>	<a href="#"><u>40</u></a>
<b>Phase</b>	<a href="#"><u>3</u></a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

**Voltage** 230-460

**Wetted Material** CAST IRON-BUNA

Wetted Material Cast Iron - Buna | 40HP 3-PHASE 3/60/230-460 VOLT 1775 RPM  
| Connections 6 x 6 Ansi | 1200 GPM @ 94 FTH | Impeller Trim 10.66"