




GRUNDFOS-PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna |
3HP 3-PHASE 3/60/230-460 VOLT
1775 RPM | Connections 2 x 2 Ansi
| 120 GPM @ 53 FTH | Impeller
Trim 8.39"



SKU: 99831786

Stock: Out of stock contact us for
lead time

Categories: [Paco Inline Pumps](#)

Model Number

16-20955-130108-2622P

Part Number 20955 VL

PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.

www.pfcstore.com - 763-425-7890 / 800-328-2350

Applications

- Chilled Water
- Condensed Water
 - Hot Water
 - Service Water
- District Cooling/Heating Systems
 - Boiler/Hydronic Heating
 - Air Conditioning
 - Cooling Towers
 - Pressure Boosting
 - Recreation
 - Plumbing
 - Aquaculture
- General Industry/Power Plants
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 4 to 5 weeks

[Specs & Curve](#)

[Install & Operation](#)

ADDITIONAL INFORMATION

Weight	193 lbs
Dimensions	32 × 20 × 24 in
Best Efficiency Point	<u>120 GPM @ 53 FTH</u>
Connections	<u>2 X 2</u>
Horse Power	<u>3</u>
Phase	<u>3</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Voltage 230-460

Wetted Material CAST IRON-BUNA

Wetted Material Cast Iron - Buna | 3HP 3-PHASE 3/60/230-460 VOLT 1775 RPM |
Connections 2 x 2 Ansi | 120 GPM @ 53 FTH | Impeller Trim 8.39"