

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS-PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna | 7.5HP 3-PHASE 3/60/230-460 VOLT 1775 RPM | Connections 2 x 2 Ansi | 150 GPM @ 90 FTH | Impeller Trim 9.60"



SKU: 99831791

Stock: Out of stock contact us for

lead time

Categories: Paco Inline Pumps
Tags: GRUNDFOS INLINE PUMPS

Model Number

16-20959-130108-2742P **Part Number** 20959 VL

PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.



www.pfcestore.com - 763-425-7890 / 800-328-2350

Applications

- Chilled Water
- Condensed Water
 - Hot Water
 - Service Water
- District Cooling/Heating Systems
 - Boiler/Hydronic Heating
 - Air Conditioning
 - Cooling Towers
 - Pressure Boosting
 - Recreation
 - Plumbing
 - Aquaculture
 - General Industry/Power Plants
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 4 to 5 weeks

Specs & Curve

Install & Operation

ADDITIONAL INFORMATION

Weight 261 lbs

Dimensions $34 \times 20 \times 24 \text{ in}$

Best Efficiency Point 150 GPM @ 90 FTH

Connections 2 X 2

Horse Power 7.5

Phase 3



www.pfcestore.com - 763-425-7890 / 800-328-2350

Voltage <u>230-460</u>

Wetted Material CAST IRON-BUNA