

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS SCALA1, 5-55 SELF PRIMING BOOSTER PUMP 115 VOLT

Best Efficiency Point 18 GPM @ 130 FTH | Power 115 Volts. Scala1 5-55 is pictured on the left, Scala2 is picture on the right.



SKU: 99631754 **Stock:** 3 in stock (can be backordered)

Categories: Grundfos Booster

Water Systems

Model Number 99631754
Part Number SCALA1 5-55

PRODUCT DESCRIPTION

Grundfos SCALA1

Grundfos SCALA1 is a self-priming, multistage pump, which combines all the components of a pressure booster into a compact composite enclosure.

SCALA1 can communicate with Grundfos GO Remote app through a built-in Bluetooth technology, which

enables high customization options, making this pump a



www.pfcestore.com - 763-425-7890 / 800-328-2350

good fit for every application.

Grundfos SCALA2

Grundfos SCALA2 is a fully integrated, self-priming, compact waterworks for pressure boosting in domestic applications.

SCALA2 incorporates integrated speed control which allows maintaining a perfect pressure in the taps. This means that the pump performance will adjust to the the increasing demand.

When out of stock, estimated delivery is 3 to 4 weeks



www.pfcestore.com - 763-425-7890 / 800-328-2350

| Features | SCALA1 | SCALA2 |
|----------------------------------|----------|----------|
| Auto start-stop | √ | √ |
| Self-priming | √ | √ |
| Alarm indication | √ | √ |
| Dry-run protection | √ | √ |
| Anti-cycling protection | √ | 1 |
| Maximum runtime protection | √ | √ |
| Bluetooth ommunication | √ | - |
| win enabled | √ | 7-1 |
| xternal input | √ | |
| Adjustable constant pressure | - | √ |
| ntegrated frequency converter | - | √ |
| ow noise | 55 dB(A) | 47 dB(A) |

Curve & Specs

<u>Manual</u>

<u>Databook</u>



ADDITIONAL INFORMATION

Weight 38 lbs

www.pfcestore.com - 763-425-7890 / 800-328-2350

Dimensions $22 \times 14 \times 18 \text{ in}$

Best Efficiency Point 18 GPM @ 130 FTH