




GRUNDFOS PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna |
15HP 3-PHASE 3/60/230-460 VOLT
3530 RPM | Connections 2.5 x 2.5
Ansi | 150 GPM @ 145 FTH |
Impeller Trim 6.07"



SKU: 99831648

Stock: Out of stock contact us for
lead time

Categories: [Paco Inline Pumps](#)

Model Number

16-25709-140108-2821P

Part Number 20709 VL

PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.

www.pfcstore.com - 763-425-7890 / 800-328-2350

Applications

- Chilled Water
- Condensed Water
 - Hot Water
 - Service Water
- District Cooling/Heating Systems
 - Boiler/Hydronic Heating
 - Air Conditioning
 - Cooling Towers
 - Pressure Boosting
 - Recreation
 - Plumbing
 - Aquaculture
- General Industry/Power Plants
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 4 to 5 weeks

[Specs & Curve](#)

[Install & Operation](#)

ADDITIONAL INFORMATION

Weight	371 lbs
Dimensions	30 × 20 × 36 in
Best Efficiency Point	<u>150 GPM @ 145 FTH</u>
Connections	<u>2.5 X 2.5</u>
Horse Power	<u>15</u>
Phase	<u>3</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Voltage 230-460

Wetted Material CAST IRON-BUNA

Wetted Material Cast Iron - Buna | 15HP 3-PHASE 3/60/230-460 VOLT 3530 RPM
| Connections 2.5 x 2.5 Ansi | 150 GPM @ 145 FTH | Impeller Trim 6.07"