

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS PACO VL INLINE PUMP 3 PHASE

Wetted Material Cast Iron - Buna | 15HP 3-PHASE 3/60/230-460 VOLT 3530 RPM | Connections 2.5 x 2.5 Ansi | 150 GPM @ 145 FTH | Impeller Trim 6.07"



SKU: 99831648

Stock: Out of stock contact us for

lead time

Categories: Paco Inline Pumps
Tags: GRUNDFOS INLINE PUMPS

Model Number 16-25709-140108-2821P

Part Number 20709 VL

PRODUCT DESCRIPTION

Grundfos Paco pushes the limits of pump performance. The VL offers comprehensive sizes and configurations to meet your needs. It has a superior hydraulic and mechanical design, which produces higher efficiency, reduced pump noise, and longer pump life.

The VL can be fitted with a speed-control system, which significantly cuts energy use and provides a pump payback in as little as one to two years.



www.pfcestore.com - 763-425-7890 / 800-328-2350

Applications

- Chilled Water
- Condensed Water
 - Hot Water
 - Service Water
- District Cooling/Heating Systems
 - Boiler/Hydronic Heating
 - Air Conditioning
 - Cooling Towers
 - Pressure Boosting
 - Recreation
 - Plumbing
 - Aquaculture
 - General Industry/Power Plants
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 4 to 5 weeks

Specs & Curve

Install & Operation

ADDITIONAL INFORMATION

Weight 371 lbs

Dimensions $30 \times 20 \times 36 \text{ in}$

Best Efficiency Point 150 GPM @ 145 FTH

Connections 2.5 X 2.5

Horse Power <u>15</u>

Phase 3



www.pfcestore.com - 763-425-7890 / 800-328-2350

Voltage <u>230-460</u>

Wetted Material CAST IRON-BUNA