


www.pfcstore.com - 763-425-7890 / 800-328-2350



## ISOICHEM MAG DRIVE PUMP WITH EXPLOSION PROOF MOTOR GMC6ACTKKF

Brand New Pump & Motor. Max,  
3.75 GPM @ 60 PSI | Wetted Parts  
316SS, Gear Alloy C, Idler Gear TFE  
Glass Filled, Bearing Material  
Carbon | Motor Explosion Proof,  
Class 1 Group D, Class II Group  
F&G, .75hp, 1750RPM

Curve



---

**SKU:** GMC6ACTKKF-CXM050742

**Stock:** 1 in stock

**Categories:** [Inventory Sale!](#)

**Part Number** GMC6ACTKKF

## GALLERY IMAGES

www.pfcstore.com - 763-425-7890 / 800-328-2350

UL LISTED		CLASS I GROUP D CLASS II GROUP F&G CLASS I ZONE 1 GROUP IIA		ELECTRIC MOTOR FOR HAZARDOUS LOCATIONS		Energy Verified	
NO.	G15199980			CC			
SER #	F2211013639			T. CODE	T9C		
SPEC	35-0000-1371			INV. TYPE	PWM		
CAT. NO.	CXM050742			CHP	60 TO 90 HZ		
H.P.	.75//0.5			CT	6 TO 60 HZ		
B VOLTS	230/460//190/380			VT	6 TO 60 HZ		
A AMPS	2.28/1.14//2/1			MAG. CUR.	1.46/0.73		
S R.P.M.	1765//1470			MAX R.P.M.			
E HZ	60//50	PH	3	CLASS	F	NEMA NOM. EFF	92.5 %
SER. F.	1.00	DES	B	SL HZ	1	WK	0.101 LB FT
FRAME	56C	RATING	40C	AMB-CONT			



www.pfcstore.com - 763-425-7890 / 800-328-2350

## ADDITIONAL INFORMATION

<b>Weight</b>	60 lbs
<b>Dimensions</b>	24 × 12 × 12 in
<b>Manufacturer</b>	<a href="#">Isochem Mag Drive Pump</a>

Brand New Pump & Motor. Max, 3.75 GPM @ 60 PSI | Wetted Parts 316SS, Gear Alloy C, Idler Gear TFE Glass Filled, Bearing Material Carbon | Motor Explosion Proof, Class 1 Group D, Class II Group F&G, .75hp, 1750RPM

[Curve](#)