



# MOYNO® 2000G1 PUMP SINGLE STAGE, CAST IRON WITH NITRILE

#### **CONTACT US FOR PRICING** |

11.89 GPM Per 100 RPM, Max 87
PSI Data based on water @ 68F,
Cast Iron, Alloy Steel, Stator Nitrile
70 Durometer, Ansi Flange, Single
Mech Seal, Rotor Chrome Plated,
5hp 3/60/230-460v Gear Motor,
Long Coupled Mounted on Steel
Base. Product photo could vary
from the actual product



**SKU:** 1E012G1CDQ3SBA **Stock:** Out of stock contact us for lead time

**Categories:** Progressing Cavity

<u>Pumps</u>

Tags: Moyno Pumps
Model Number 2000G1

Part Number 1E012G1CDQ3SBA



### **GALLERY IMAGES**





## **PRODUCT DESCRIPTION**

Moyno® 2000G1 Long-coupled, versatile pump. Features patented joint seals to effectively protect the gear joints from pumpage contamination and a hollow drive shaft. Optional features include shaft sleeve, fiber deflector, and flush gland

#### 2000G1 - FLANGED DESIGN

High-performance 2000 Pumps offer low maintenance, minimal downtime and long service life for low total cost of ownership.

# **Fluid Type**

Broad range of viscosities and solids

## **Fluid Supply**

Via standard pipe

## **Benefits**

Best value for majority of applications

# **Typical Applications**

- Oil
- Polymers
- Municipal sludge to 10% solids
  - Titanium Dioxide
    - Paper coatings
    - Mining Slurries

Estimated delivery is 6 to 8 weeks

Contact us for actual Lead times



Product photo could vary from the actual product

2000G1 Curves

2000G1 Dimensions

Our Moyno area covers Minnesota, Wisconsin, South Dakota, North Dakota & the U.P. Michigan

#### **ADDITIONAL INFORMATION**

Weight 1060 lbs

**Dimensions**  $86 \times 35 \times 35$  in

**Recommended RPM** 100 RPM to 300 RPM