

www.pfcestore.com - 763-425-7890 / 800-328-2350



MOYNO SMALL PUMP, 500 SERIES 33201

.314 Gallons per 100 RPM, Max RPM 1750. Housing: Cast Iron, Internals: Stainless Steel, Elastomer: Nitrile. Connections 3/4" x 3/4"

When out of stock usual lead time is 3 to 4 weeks



SKU: 3913320100 Stock: Out of stock contact us for lead time Categories: <u>Progressing Cavity</u> <u>Pumps</u>

Model Number 33201 **Part Number** 3913320100

PRODUCT DESCRIPTION

GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and industrial applications are required, these self-priming pumps can achieve

Page: 1

PFC eStore Pumps, Filters & Controls store with B2B solution September 13, 2025



www.pfcestore.com - 763-425-7890 / 800-328-2350

suction lifts up to 26 feet. Simple design and construction provide extended pump life with minimal routine maintenance.

FEATURES

- Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage-a very useful feature when pumping heating oil to burner nozzles for example
- Smooth action and resilient rubber stator ensures quiet running-ideal for light industrial and domestic installations

• Simple design and easy dismantle

- An abrasion and chemical resistant stator for handling viscous liquids and random solids
- Available as cast iron, stainless steel or engineered co-polymer bodies
 High quality stainless steel rotating parts
 - Available either bareshaft or coupled with a motor

TYPICAL APPLICATIONS

- Dosing applications
 - Light creams
 - Shampoo
 - Cosmetics
 - Diesel/fuel oils
 - Water sampling
- Hydraulic/lubricating oils
 - Cellar drainage
- Septic tank/cesspit emptying
 - Garden sprinkler systems
- Water supply from wells or rivers

Specs & Curves



www.pfcestore.com - 763-425-7890 / 800-328-2350 ADDITIONAL INFORMATION

Weight	20 lbs
Dimensions	$18 \times 9 \times 12$ in