

www.pfcestore.com - 763-425-7890 / 800-328-2350



MOYNO SMALL PUMP, 500 SERIES 33259

.314 Gallons per 100 RPM, Max
RPM 1750. Motor: 1/60/115-230v,
1/2hp. Housing: Cast Iron,
Internals: Stainless Steel,
Elastomer: Nitrile. Connections
3/4" x 3/4"

When out of stock usual lead time
is 3 to 4 weeks



SKU: 33259

Stock: Out of stock contact us for
lead time

Categories: [Progressing Cavity
Pumps](#)

Part Number 3913325900

PRODUCT DESCRIPTION

GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and industrial applications are required, these self-priming pumps can achieve

www.pfcstore.com - 763-425-7890 / 800-328-2350

suction lifts up to 26 feet. Simple design and construction provide extended pump life with minimal routine maintenance.

FEATURES

- Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage—a very useful feature when pumping heating oil to burner nozzles for example
- Smooth action and resilient rubber stator ensures quiet running—ideal for light industrial and domestic installations
 - Simple design and easy dismantle
- An abrasion and chemical resistant stator for handling viscous liquids and random solids
- Available as cast iron, stainless steel or engineered co-polymer bodies
 - High quality stainless steel rotating parts
- Available either bareshaft or coupled with a motor

TYPICAL APPLICATIONS

- Dosing applications
 - Light creams
 - Shampoo
 - Cosmetics
- Diesel/fuel oils
- Water sampling
- Hydraulic/lubricating oils
 - Cellar drainage
- Septic tank/cesspit emptying
 - Garden sprinkler systems
- Water supply from wells or rivers

[Specs & Curves](#)

www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	90 lbs
Dimensions	32 × 16 × 16 in