

www.pfcestore.com - 763-425-7890 / 800-328-2350



MOYNO SMALL PUMP, 500 SERIES 33259

.314 Gallons per 100 RPM, Max RPM 1750. Motor: 1/60/115-230v, 1/2hp. Housing: Cast Iron, Internals: Stainless Steel, Elastomer: Nitrile. Connections 3/4" x 3/4"

When out of stock usual lead time is 3 to 4 weeks



SKU: 33259

Stock: Out of stock contact us for

lead time

Categories: Progressing Cavity

<u>Pumps</u>

Part Number 3913325900

PRODUCT DESCRIPTION GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and industrial applications are required, these self-priming pumps can achieve



www.pfcestore.com - 763-425-7890 / 800-328-2350

suction lifts up to 26 feet. Simple design and construction provide extended pump life with minimal routine maintenance.

FEATURES

- Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage-a very useful feature when pumping heating oil to burner nozzles for example
- Smooth action and resilient rubber stator ensures quiet running-ideal for light industrial and domestic installations
 - Simple design and easy dismantle
- An abrasion and chemical resistant stator for handling viscous liquids and random solids
- Available as cast iron, stainless steel or engineered co-polymer bodies
 High quality stainless steel rotating parts
 - Available either bareshaft or coupled with a motor

TYPICAL APPLICATIONS

- Dosing applications
 - Light creams
 - Shampoo
 - Cosmetics
 - Diesel/fuel oils
 - Water sampling
- Hydraulic/lubricating oils
 - Cellar drainage
- Septic tank/cesspit emptying
 - Garden sprinkler systems
- Water supply from wells or rivers

Specs & Curves



www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight 90 lbs

Dimensions $32 \times 16 \times 16$ in