PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

MOYNO SMALL PUMP, 500 SERIES 33301

.557 Gallons per 100 RPM, Max RPM 1750. Housing: Cast Iron, Internals: Stainless Steel, Elastomer: Nitrile. Connections 3/4" x 3/4"

When out of stock usual lead time is 3 to 4 weeks

SKU: 33301
Stock: 2 in stock (can be backordered)
Categories: Progressing Cavity Pumps

Part Number 3913330100

PRODUCT DESCRIPTION

GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and industrial applications are required, these self-priming pumps can achieve suction lifts up to 26 feet. Simple design and construction provide extended

pump life with minimal routine maintenance.

FEATURES

• Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage–a very useful feature when pumping heating oil to burner nozzles for example
• Smooth action and resilient rubber stator ensures quiet running–ideal for light industrial and domestic installations
• Simple design and easy dismantle
• An abrasion and chemical resistant stator for handling viscous liquids and random solids
• Available as cast iron, stainless steel or engineered co-polymer bodies
• High quality stainless steel rotating parts
• Available either bareshaft or coupled with a motor

TYPICAL APPLICATIONS

• Dosing applications
• Light creams
• Shampoo
• Cosmetics
• Diesel/fuel oils
• Water sampling
• Hydraulic/lubricating oils
• Cellar drainage
• Septic tank/cesspit emptying
• Garden sprinkler systems
• Water supply from wells or rivers

Specs & Curves

ADDITIONAL INFORMATION

Weight	20 lbs

PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

Dimensions	18 × 9 × 12 in

.557 Gallons per 100 RPM, Max RPM 1750. Housing: Cast Iron, Internals: Stainless Steel, Elastomer: Nitrile. Connections 3/4" x 3/4"

When out of stock usual lead time is 3 to 4 weeks