

www.pfcestore.com - 763-425-7890 / 800-328-2350



MOYNO SMALL PUMP, 500 SERIES 36704

3.409 Gallons per 100 RPM, Max RPM 1750. Housing: 316ss, Internals: Stainless Steel, Elastomer: Nitrile. Connections 2" x 2"

When out of stock usual lead time is 3 to 4 weeks



SKU: 36704 Stock: Out of stock contact us for lead time Categories: <u>Progressing Cavity</u> <u>Pumps</u>

Part Number 3913670400

PRODUCT DESCRIPTION

GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and industrial applications are required, these self-priming pumps can achieve suction lifts up to 26 feet. Simple design and construction provide extended

PFC eStore Pumps, Filters & Controls store with B2B solution September 14, 2025



www.pfcestore.com - 763-425-7890 / 800-328-2350

pump life with minimal routine maintenance.

FEATURES

 Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage-a very useful feature when pumping heating oil to burner nozzles for example

• Smooth action and resilient rubber stator ensures quiet running-ideal for light industrial and domestic installations

• Simple design and easy dismantle

• An abrasion and chemical resistant stator for handling viscous liquids and random solids

• Available as cast iron, stainless steel or engineered co-polymer bodies

• High quality stainless steel rotating parts

• Available either bareshaft or coupled with a motor

TYPICAL APPLICATIONS

• Dosing applications

- Light creams
 - Shampoo
 - Cosmetics
- Diesel/fuel oils
- Water sampling
- Hydraulic/lubricating oils
 - Cellar drainage
- Septic tank/cesspit emptying
 - Garden sprinkler systems
- Water supply from wells or rivers

Specs & Curve

ADDITIONAL INFORMATION

Weight

40 lbs



www.pfcestore.com - 763-425-7890 / 800-328-2350

Dimensions $26 \times 14 \times 16$ in