




MOYNO SMALL PUMP, 500 SERIES 36704

CONTACT US FOR PRICING

3.409 Gallons per 100 RPM, Max
RPM 1750. Housing: 316ss,
Internals: Stainless Steel,
Elastomer: Nitrile. Connections 2" x
2"

When out of stock usual lead time
is 3 to 4 weeks



SKU: 36704

Stock: Out of stock contact us for
lead time

Categories: [Progressing Cavity
Pumps](#)

Part Number 3913670400

PRODUCT DESCRIPTION

GENERAL UTILITY PUMPS

Designed for use where low flow or transfer duties in both domestic and

www.pfcstore.com - 763-425-7890 / 800-328-2350

industrial applications are required, these self-priming pumps can achieve suction lifts up to 26 feet. Simple design and construction provide extended pump life with minimal routine maintenance.

FEATURES

- Progressing cavity pump principle ensures steady output pressure and non-pulsing flow with minimal slippage—a very useful feature when pumping heating oil to burner nozzles for example
- Smooth action and resilient rubber stator ensures quiet running—ideal for light industrial and domestic installations
 - Simple design and easy dismantle
- An abrasion and chemical resistant stator for handling viscous liquids and random solids
- Available as cast iron, stainless steel or engineered co-polymer bodies
 - High quality stainless steel rotating parts
 - Available either bare shaft or coupled with a motor

TYPICAL APPLICATIONS

- Dosing applications
 - Light creams
 - Shampoo
 - Cosmetics
 - Diesel/fuel oils
 - Water sampling
- Hydraulic/lubricating oils
 - Cellar drainage
- Septic tank/cesspit emptying
 - Garden sprinkler systems
- Water supply from wells or rivers

[Specs & Curve](#)

www.pfcstore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	40 lbs
Dimensions	26 × 14 × 16 in

CONTACT US FOR PRICING

3.409 Gallons per 100 RPM, Max RPM 1750. Housing: 316ss, Internals: Stainless Steel, Elastomer: Nitrile. Connections 2" x 2"

When out of stock usual lead time is 3 to 4 weeks