

www.pfcestore.com - 763-425-7890 / 800-328-2350



## PRICE PUMP CD100 ALL IRON WITH VITON SEAL

1" x 1.25"-5" | Material All Iron,  
Type 6A seal, Viton-Carbon-Ni-  
Resist | Best Efficiency Point  
3600RPM, 45 GPM @ 80 FTH |  
Nema Motor 56c Footless | Contact  
us for Custom Impeller Trims

**If you order a pump and motor  
together our shop will  
assemble at no charge**



---

**SKU:** D02494A2120000

**Stock:** 4 in stock (can be  
backordered)

**Categories:** [Price Pumps](#)

**Model Number** Pump End Only

**Part Number**

CD100AI-494-6A212-PEO

## PRODUCT DESCRIPTION

Price Pump pump end only

www.pfcstore.com - 763-425-7890 / 800-328-2350

**Size:**

CD100-1" x 1-1/4" x 5"

CD 150-1-1/2" x 2" x 5"

**Features:**

- Close Coupled design using standard NEMA 56C motors
  - Optional power frame available
- Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9 PTFE and Type 21 Fluorocarbon double seal available
  - Optional seal face materials and elastomers available
    - Seal flush and seal quench optional

**Materials:**

- 316 Stainless Steel
  - Cast Iron
  - All Bronze
- Cast Iron/Bronze Fitted Impeller

**Back orders, estimated delivery is 3 to 4 weeks**

[3600 RPM Curve](#)

[1750 RPM Curve](#)

[Dimensions](#)

[Parts](#)

[Technical Info](#)

www.pfcstore.com - 763-425-7890 / 800-328-2350

## ADDITIONAL INFORMATION

Weight	30 lbs
Dimensions	11 × 11 × 11 in
Best Efficiency Point	<u>45 GPM @ 80 FTH</u>
Wetted Material	<u>CAST IRON-VITON</u>

## YOU MAY ALSO LIKE...



**Baldor Super E Motor, 3 Phase, 3600PM, 3HP, Footless Motor, 56C**

**Baldor Super E Motor, 3 Phase, 3600PM, 2HP, Footless Motor, 56C**

**Baldor Super E Motor, 3 Phase, 3600PM, 1.5HP, Footless Motor, 56C**

**Baldor Super E Motor, 3 Phase, 3600PM, 1HP, Footless Motor, 56C**

**Baldor Super E Motor, 3 Phase, 3600PM, 3/4HP, Footless Motor, 56C**



**Baldor Super E Motor, 3 Phase, 1800PM, 1/2HP, Footless Motor, 56C**

**Baldor Super E Motor, 3 Phase, 3600PM, 1/2HP, Footless Motor, 56C**

**www.pfcestore.com - 763-425-7890 / 800-328-2350**