

www.pfcstore.com - 763-425-7890 / 800-328-2350



PRICE PUMP CD150 316 STAINLESS STEEL WITH VITON SEAL

1.50" x 2.00"-5" | Material 316ss,
Type 21 seal, Viton-Carbon-
Ceramic | Best Efficiency Point
3600RPM, 100 GPM @ 55 FTH |
Nema Motor 56c Footless | Contact
us for Custom Impeller Trims

**If you order a pump and motor
together our shop will
assemble at no charge**



SKU: F68494W2110000

Stock: 1 in stock (can be
backordered)

Categories: [Price Pumps](#)

Model Number Pump End Only

Part Number

CD150SS-494-21211-PEO

PRODUCT DESCRIPTION

Price Pump pump end only

www.pfcstore.com - 763-425-7890 / 800-328-2350

Size:

CD100-1" x 1-1/4" x 5"

CD 150-1-1/2" x 2" x 5"

Features:

- Close Coupled design using standard NEMA 56C motors
 - Optional power frame available
- Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9 PTFE and Type 21 Fluorocarbon double seal available
 - Optional seal face materials and elastomers available
 - Seal flush and seal quench optional

Materials:

- 316 Stainless Steel
 - Cast Iron
 - All Bronze
- Cast Iron/Bronze Fitted Impeller

Back orders, estimated delivery is 3 to 4 weeks

[3600 RPM Curve](#)

[1750 RPM Curve](#)

[Dimensions](#)

[Parts](#)

[Technical Info](#)

www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	40 lbs
Dimensions	11 × 11 × 11 in
Best Efficiency Point	<u>100 GPM @ 55 FTH</u>
Wetted Material	<u>316SS-VITON</u>

YOU MAY ALSO LIKE...



**Baldor Super E
Motor, 3 Phase,
3600PM, 5HP,
Footless Motor,
184C**

**Baldor Super E
Motor, 3 Phase,
3600PM, 3HP,
Footless Motor,
56C**

**Baldor Super E
Motor, 3 Phase,
3600PM, 2HP,
Footless Motor,
56C**

**Baldor Super E
Motor, 3 Phase,
3600PM, 1.5HP,
Footless Motor,
56C**

**Baldor Super E
Motor, 3 Phase,
3600PM, 1HP,
Footless Motor,
56C**



**Baldor Super E
Motor, 3 Phase,
3600PM, 3/4HP,
Footless Motor,
56C**

**Baldor Super E
Motor, 3 Phase,
1800PM, 1/2HP,
Footless Motor,
56C**

**Baldor Super E
Motor, 3 Phase,
3600PM, 1/2HP,
Footless Motor,
56C**

www.pfcestore.com - 763-425-7890 / 800-328-2350