PFC eSTORE

www.pfcestore.com - 763-425-7890 / 800-328-2350



PRICE PUMP CD150 316 STAINLESS STEEL WITH VITON SEAL

1.50" x 2.00"-5" | Material 316ss, Type 21 seal, Viton-Carbon-Ceramic | Best Efficiency Point 3600RPM, 100 GPM @ 55 FTH | Nema Motor 56c Footless | Contact us for Custom Impeller Trims

If you order a pump and motor together our shop will assemble at no charge



SKU: F68494W2110000 **Stock:** 1 in stock (can be backordered)

Categories: Price Pumps

Model Number Pump End Only
Part Number
CD150SS-494-21211-PEO

PRODUCT DESCRIPTION

Price Pump pump end only



www.pfcestore.com - 763-425-7890 / 800-328-2350

Size:

CD100-1" x 1-1/4" x 5" CD 150-1-1/2" x 2" x 5"

Features:

- Close Coupled design using standard NEMA 56C motors
 - Optional power frame available
- Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9
 PTFE and Type 21 Fluorocarbon double seal available
 - · Optional seal face materials and elastomers available
 - Seal flush and seal quench optional

Materials:

- 316 Stainless Steel
 - Cast Iron
 - All Bronze
- Cast Iron/Bronze Fitted Impeller

Back orders, estimated delivery is 3 to 4 weeks

3600 RPM Curve

1750 RPM Curve

Dimensions

Parts

Technical Info



Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight 40 lbs

Dimensions $11 \times 11 \times 11$ in

Best Efficiency Point 100 GPM @ 55 FTH

Wetted Material 316SS-VITON

YOU MAY ALSO LIKE...



Baldor Super E 3600PM, 5HP,

56C

56C

Baldor Super E Baldor Super E Baldor Super E Motor, 3 Phase, Motor, Motor, Motor, Motor, Motor, Motor, Motor, Motor, Motor, 3600PM, 3HP, 3600PM, 2HP, 3600PM, 1.5HP, 3600PM, 1HP, Footless Motor, Footless Motor, Footless Motor, Footless Motor, Footless Motor, **56C 56C**













Baldor Super E Baldor Super E Baldor Super E Motor, 3 Phase, Motor, 3 Phase, Motor, 3 Phase, 3600PM, 3/4HP, 1800PM, 1/2HP, 3600PM, 1/2HP, Footless Motor, Footless Motor, Footless Motor, **56C 56C 56C**



www.pfcestore.com - 763-425-7890 / 800-328-2350