

www.pfcstore.com - 763-425-7890 / 800-328-2350



PRICE PUMP CD150 ALL IRON WITH VITON SEAL

1.50" x 2.00"-5" | Material All Iron, Type 6A seal, Viton-Carbon-Ceramic | Best Efficiency Point 3600RPM, 100 GPM @ 55 FTH | Nema Motor 56c Footless | Contact us for Custom Impeller Trims

If you order a pump and motor together our shop will assemble at no charge



SKU: D17494A2110000

Stock: Out of stock contact us for lead time

Categories: [Price Pumps](#)

Model Number Pump End Only

Part Number

CD150AI-494-6A211-PEO

PRODUCT DESCRIPTION

Price Pump pump end only

www.pfcstore.com - 763-425-7890 / 800-328-2350

Size:

CD100-1" x 1-1/4" x 5"

CD 150-1-1/2" x 2" x 5"

Features:

- Close Coupled design using standard NEMA 56C motors
 - Optional power frame available
- Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9 PTFE and Type 21 Fluorocarbon double seal available
 - Optional seal face materials and elastomers available
 - Seal flush and seal quench optional

Materials:

- 316 Stainless Steel
 - Cast Iron
 - All Bronze
- Cast Iron/Bronze Fitted Impeller

Back orders, estimated delivery is 3 to 4 weeks

[3600 RPM Curve](#)

[1750 RPM Curve](#)

[Dimensions](#)

[Parts](#)

[Technical Info](#)

www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	40 lbs
Dimensions	11 × 11 × 11 in
Best Efficiency Point	<u>100 GPM @ 55 FTH</u>
Wetted Material	<u>CAST IRON-VITON</u>

1.50" x 2.00"-5" | Material All Iron, Type 6A seal, Viton-Carbon-Ceramic | Best Efficiency Point 3600RPM, 100 GPM @ 55 FTH | Nema Motor 56c Footless | Contact us for Custom Impeller Trims

If you order a pump and motor together our shop will assemble at no charge