

#### www.pfcestore.com - 763-425-7890 / 800-328-2350



# PRICE PUMP CD150 BRONZE FITTED WITH VITON SEAL

1.50" x 2.00"-5" | Material
Iron/Bronze Impeller, Type 6A seal, Viton-Carbon-Ni-Resist | Best
Efficiency Point 3600RPM, 100 GPM
@ 55 FTH | Nema Motor 56c
Footless | Contact us for Custom Impeller Trims

## If you order a pump and motor together our shop will assemble at no charge



SKU: J05494A2120000 Stock: 3 in stock (can be backordered) Categories: Price Pumps

Model Number Pump End Only Part Number CD150BF-494-6A212-PEO



## www.pfcestore.com - 763-425-7890 / 800-328-2350 PRODUCT DESCRIPTION

Price Pump pump end only

#### Size:

CD100-1" x 1-1/4" x 5" CD 150-1-1/2" x 2" x 5"

#### **Features:**

 Close Coupled design using standard NEMA 56C motors

 Optional power frame available

 Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9
 PTFE and Type 21 Fluorocarbon double seal available
 Optional seal face materials and elastomers available
 Seal flush and seal quench optional

## Materials:

• 316 Stainless Steel

- Cast Iron
- All Bronze
- Cast Iron/Bronze Fitted Impeller

## Back orders, estimated delivery is 3 to 4 weeks

## 3600 RPM Curve

## 1750 RPM Curve

## **Dimensions**

#### Parts

## Technical Info

Page: 2

PFC eStore Pumps, Filters & Controls store with B2B August 18, 2025



www.pfcestore.com - 763-425-7890 / 800-328-2350

# **ADDITIONAL INFORMATION**

11 × 11 × 11 in

Weight

40 lbs

Dimensions

Wetted Material

Best Efficiency Point 100 GPM @ 55 FTH CAST IRON BRONZE FITTED-VITON

## YOU MAY ALSO LIKE...



**Baldor Super E** Baldor Super E Baldor Super E Baldor Super E Baldor Super E Motor, 3 Phase, <u>3600PM, 3HP,</u> <u>5600PM, 5HP,</u> <u>560</u> <u>560</u> <u>560</u> <u>560</u> <u>3600PM, 2HP, 3600PM, 1.5HP, 3600PM, 1HP, 3600PM, 3/4HP,</u> <u>560</u> <u>560</u> **56C 56C 56C 56C 56C** 

PFC eStore



#### www.pfcestore.com - 763-425-7890 / 800-328-2350



Baldor Super E<br/>Motor, 3 Phase,<br/>1800PM, 1/2HP,<br/>Footless Motor,<br/>56CBaldor Super E<br/>Motor, 3 Phase,<br/>3600PM, 1/2HP,<br/>Footless Motor,<br/>56C