

www.pfcestore.com - 763-425-7890 / 800-328-2350



PRICE PUMP CD150 BRONZE FITTED WITH VITON SEAL

1.50" x 2.00"-5" | Material Iron/Bronze Impeller, Type 6A seal, Viton-Carbon-Ni-Resist | Best Efficiency Point 3600RPM, 100 GPM @ 55 FTH | Nema Motor 56c Footless | Contact us for Custom Impeller Trims

If you order a pump and motor together our shop will assemble at no charge



SKU: J05494A2120000 Stock: 3 in stock (can be backordered) Categories: Price Pumps

Model Number Pump End Only Part Number CD150BF-494-6A212-PEO



www.pfcestore.com - 763-425-7890 / 800-328-2350 PRODUCT DESCRIPTION

Price Pump pump end only

Size:

CD100-1" x 1-1/4" x 5" CD 150-1-1/2" x 2" x 5"

Features:

 Close Coupled design using standard NEMA 56C motors

 Optional power frame available

Mechanical seal: JohnCrane 5/8" Type 21 Fluorocarbon standard, Type 9
 PTFE and Type 21 Fluorocarbon double seal available
Optional seal face materials and elastomers available
Seal flush and seal quench optional

Materials:

• 316 Stainless Steel

- Cast Iron
- All Bronze
- Cast Iron/Bronze Fitted Impeller

Back orders, estimated delivery is 3 to 4 weeks

3600 RPM Curve

1750 RPM Curve

Dimensions

Parts

Technical Info

Page: 2

PFC eStore Pumps, Filters & Controls store with B2B



www.pfcestore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

11 × 11 × 11 in

Weight

40 lbs

Dimensions

Best Efficiency Point 100 GPM @ 55 FTH

Wetted Material

<u>100 GPM @ 55 FTH</u> CAST IRON BRONZE FITTED-VITON

YOU MAY ALSO LIKE...



Baldor Super E
Motor, 3 Phase,
3600PM, 3HP,
Footless Motor,
56CBaldor Super E
Motor, 3 Phase,
Motor, 3 Phase,
Baldor Super EBaldor Super E
Motor, 3 Phase,
Motor, 3 Phase,
Baldor, 3 Phase,
Motor, 3 Phase,
Baldor Super EBaldor Super E
Motor, 3 Phase,
Baldor, 3 Phase,
Baldor, 3 Phase,
Motor, 3 Phase,
Baldor Super EBaldor Super E
Motor, 3 Phase,
Baldor, 3 Phase,<br/

PFC eStore

solution



www.pfcestore.com - 763-425-7890 / 800-328-2350



Baldor Super E
Motor, 3 Phase,
1800PM, 1/2HP,
Footless Motor,
56CBaldor Super E
Motor, 3 Phase,
3600PM, 1/2HP,
Footless Motor,
56C