

**STANDARD DRUM PUMP
MINI POLYPRO &
HASTELLOY**

Wetted Material: Polypro &
Hastelloy | 5.5 GPM BASED ON
WATER | MAX VISCOSITY 250CPS |
MAX TEMP 130°F | ODP Motor




SKU: SP-MPP-SP-280P

Stock: Out of stock contact us for
lead time

Categories: [Standard Drum
Pumps](#)

Model Number SP-MPP-SP-280P
Part Number Mini

www.pfcstore.com - 763-425-7890 / 800-328-2350



www.pfcstore.com - 763-425-7890 / 800-328-2350

GALLERY IMAGES



www.pfcestore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

The MINI Pump is designed to transfer corrosive chemicals from small drums and storage vessels. The ergonomic design is an ideal solution for laboratory use.

Applications

- Corrosive Chemicals
 - Acids
 - Alkalies
 - Life Sciences
- Organic Compounds

Features

- Lightweight & Portable
- Designed for Low-Volume Applications
 - Chemically Resistant
 - Electric or Air Powered

Estimated delivery is 2 to 3 weeks

[Specs](#)

[Manual & Parts](#)

ADDITIONAL INFORMATION

| | |
|-------------------|---|
| Weight | 41 lbs |
| Dimensions | 47 × 12 × 10 in |
| Length | <u>20" Tube</u> , <u>27" Tube</u> , <u>39" Tube</u> |

www.pfcstore.com - 763-425-7890 / 800-328-2350

Wetted Material

Polypro - Hastelloy

Wetted Material: Polypro & Hastelloy | 5.5 GPM BASED ON WATER | MAX VISCOSITY 250CPS | MAX TEMP 130°F | ODP Motor