




## WALCHEM EWN HIGH PRESSURE METERING PUMP WITH GFRPP & PTFE

**EWN series is obsolete replaced by the Walchem EWP-R**

Wetted Parts GFRPP, PTFE, Ceramic | 0.6 GPH, 250 PSI | 110 Volt | Connection 3/8"SUC | Product photo could vary from the actual product



---

**SKU:** EWN-C16PAURH

**Stock:** Out of stock contact us for lead time

**Categories:** Walchem EWN Pumps is now the EWP-R

**Model Number** EWN-C16PAURH

## PRODUCT DESCRIPTION

The EWN Series electronic metering pumps offer superior high speed dosing capability with more standard features. The flexibility of the EWN pump enable it be integrated into virtually any chemical feed application

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

using a universal-voltage, digital controller with an expanded set of control features. Superb valve performance and advanced solenoid engineering combine to make a highly precise pump for the most demanding applications.

**The high pressure models** are capable of operating at flow rates up to 0.6GPH (40mL/min) at a maximum discharge pressure up to 250PSI. This makes it suitable for applications such as chemical injection into boiler makeup water.

Estimated Delivery 2 weeks

Contact us for actual delivery

[Walchem EWN-R Brochure](#)

[Walchem EWN-Y Brochure](#)

[Walchem EWN Manual](#)

[Walchem Chemical Guide](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	12 lbs
<b>Dimensions</b>	16 × 11 × 14 in
<b>Connections</b>	<a href="#">3/8"OD</a>
<b>Max GPH</b>	<a href="#">0.6</a>
<b>Max PSI</b>	<a href="#">250</a>
<b>Motor Type</b>	<a href="#">Solenoid</a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

**Wetted Material**

GFRPP-PTFE-CERAMIC

## **EWN series is obsolete replaced by the Walchem EWP-R**

Wetted Parts GFRPP, PTFE, Ceramic | 0.6 GPH, 250 PSI | 110 Volt | Connection 3/8"SUC | Product photo could vary from the actual product