

www.pfcestore.com - 763-425-7890 / 800-328-2350



WALCHEM INTUITION-9, WBL9A000PA CONTROLLER FOR BOILERS - FIXED RELAYS

12 Digital Inputs and Ethernet | 8
powered relays with USA pigtails
prewired | USA power cord, 15
Amp | Sensor Input module (2
universal inputs) | Boiler sensor
with ATC, 250 psi, 1.0 cell
constant, 20 ft. cable

WBL9A000PANNNNNN-ANNNNN



SKU: WBL9A000PANNNNNN-

Stock: 7 in stock (can be
backordered)

Categories: [Walchem Controllers](#)

Part Number

WBL9A000PANNNNNN-ANNNNN

PRODUCT DESCRIPTION

The Next Generation of Powerful Control

www.pfcstore.com - 763-425-7890 / 800-328-2350

Connect with the Walchem Intuition 9 WBL9 Series controllers and enjoy unparalleled versatility in maintaining your water treatment options.

KEY BENEFITS:

- Email, alarm messages, datalog, graph, or system summary reports
 - Datalogging
- Ethernet or WiFi for remote access via the Internet, LAN, or optional BACnet or Modbus/TCP
- Large, full-color touchscreen display with icon based programming makes set up easy
- Universal sensor input provides extraordinary flexibility; the same controller can be used with almost any type of sensor needed
 - Four I/O slots allow complete flexibility in adding sensors, analog outputs, and Linear Polarization Resistance (LPR) corrosion sensors
 - Multiple language support allows simple setup
- Three to twelve relay control outputs allow the controller to be used in more applications
 - Sixteen virtual inputs and sixteen virtual outputs
 - Economical wall-mount package for easy installation
- On-screen and web page graphing of sensor values and control output status
 - Complete flexibility in the function of each relay

Estimated delivery is 1 to 3 weeks

[Brochure](#)

[WCT9 SPECS](#)

[WCT9 Manual](#)

[WCT9 Modbus Manual](#)

www.pfcstore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	20 lbs
Dimensions	21 × 20 × 10 in
Controller Type	<u>WBL9A000 Boiler</u>
Relays / Wiring	<u>8 Powered Relays, prewired pigtails</u>

YOU MAY ALSO LIKE...



**[Walchem W100
Controller for
Cooling Towers
& Boilers](#)**