

www.pfcestore.com - 763-425-7890 / 800-328-2350



WALCHEM INTUITION WBL6 CONTROLLER FOR BOILER CONTROL

Build your custom Intuition WBL6 controller.

The builder tool will only show list price, for your discount please Login/Register.

If you order 6 powered relays with pigtails, Typical lead-time is 1 week.



SKU: WBL6A00PNNNN-NNNN Stock: N/A Categories: <u>Walchem Controller</u> <u>Builder</u>

Model Number WBL6

PRODUCT DESCRIPTION

Walchem Intuition 6 boiler control . Take Control Now and Connect with the Best!

Page: 1

PFC eStore

September 13, 2025

Pumps, Filters & Controls store with B2B

solution



www.pfcestore.com - 763-425-7890 / 800-328-2350

Large touchscreen display with icon based programming makes setup

easy

• Universal sensor input provides extraordinary flexibility; the same controller can be used with almost

any type of sensor needed

• Six relay control outputs

- Combination sensor input & analog input board that adds even more flexibility
 - Lead/Lag control of relays
- Optional dual analog (4-20 mA) input for Fluorometers or nearly any other process value
 - Multiple language support allows simple setup no matter where your business takes you
 - Economical wall-mount package for easy installation
 - On-screen and web page graphing of sensor values and control output status
 - The Intuition-6[™] with amperometric chlorine sensors can be used for reporting chlorine rural measurements

in accordance with EPA Method 334.0

- Six virtual inputs and six virtual outputs
- Complete flexibility in the function of each relay
- Email alarm messages, datalogs, graphs, or system summary reports
 - Ethernet option for remote access via the Internet, LAN, BACnet or Modbus/TCP

Estimated delivery is 2 weeks

Contact us for actual lead time

Walchem WCT6 Brochure

Walchem WCT6 Manual



www.pfcestore.com - 763-425-7890 / 800-328-2350 ADDITIONAL INFORMATION

Weight	20 lbs
Dimensions	$18 \times 29 \times 10$ in

YOU MAY ALSO LIKE...



Walchem W100 Controller for Cooling Towers & Boilers