



YAMADA AOD PUMP NDP-15FVT-CAP KYNAR & PTFE

Max GPM 13.5 | Kynar & PTFE | 1/2 FNPT | NDP-15FVT-CAP The CAP means the metal bolts are capped as illustrated in the picture



SKU: 852103-CAP Stock: Out of stock contact us for lead time Categories: <u>AOD Pumps</u> Tags: <u>Yamada Pumps</u> Model Number NDP-15FVT-CAP Part Number 852103-CAP

GALLERY IMAGES







PRODUCT DESCRIPTION

Yamada AOD Pumps

Polypropylene pumps may be fitted with ball or flat check valves. Ball-type check valves are recommended for flooded suction applications. Flat-type check valves are recommended for suction lift applications.

Kynar[®] and Groundable Acetal pumps are fitted with flat check valves only.

Aluminum and Stainless Steel pumps are fitted with ball check valves only.

Estimated delivery 1 to 4 days

Contact us for actual lead time

Product photo could vary from the actual product

Curves & Specs

ADDITIONAL INFORMATION

Weight	12 lbs
Dimensions	$15\times14\times17$ in
Connections	<u>1/2"FNPT</u>
Max GPM	<u>13.5</u>
Wetted Material	<u>KYNAR-PTFE</u>

