


www.pfcstore.com - 763-425-7890 / 800-328-2350



## YAMADA AOD PUMP NDP-5FPT-CAP POLYPRO & PTFE

Max GPM 3.1 | Polypro & PTFE | 1/4  
NPT



**SKU:** 851562-CAP

**Stock:** 2 in stock (can be  
backordered)

**Categories:** [AOD Pumps](#)

**Tags:** [Yamada Pumps](#)

**Model Number** NDP-5FPT-CAP

**Part Number** 851562-CAP

## GALLERY IMAGES



**www.pfcestore.com - 763-425-7890 / 800-328-2350**

www.pfcstore.com - 763-425-7890 / 800-328-2350

## PRODUCT DESCRIPTION

3.4 Gallons/Minute Max.  
1/4" NPT Fluid Port  
Intake & Discharge Connection 1/4" Female NPT  
Air Inlet 1/4" Female NPT (includes ball valve)  
Air Exhaust 3/8" Female NPT (includes silencer)  
Air Supply Pressure (All Models) 20 to 100 PSI (1.4 to 7 kgf/cm<sup>2</sup>)  
Discharge Volume Per Cycle 0.0085 gallons (35 cc)  
Maximum Cycles Per Minute All diaphragms: 400  
Maximum Dry Suction Lift 5-feet  
Air Motor Standard: Ryton® Air Motor  
Muffler Internal

MAXIMUM LIQUID TEMPERATURE FITTED WITH PTFE DIAPHRAGM  
Groundable Acetal 180F (82C)  
Polypropylene (PPG) 180F (82C)  
Kynar® (PVDF) 212F (100C)  
Aluminum (ADC-12) 212F (100C)  
Stainless Steel (316) 212F (100C)

Estimated delivery 1 to 4 days

Contact us for actual lead time

Product photo could vary from the actual product

[Curves & Specs](#)

## ADDITIONAL INFORMATION

**Weight**

7 lbs

www.pfcestore.com - 763-425-7890 / 800-328-2350

|                 |                     |
|-----------------|---------------------|
| Dimensions      | 14 × 12 × 12 in     |
| Connections     | <u>1/4"NPT</u>      |
| Max GPM         | <u>3.1</u>          |
| Wetted Material | <u>POLYPRO-PTFE</u> |