


www.pfcstore.com - 763-425-7890 / 800-328-2350



YAMADA AOD PUMP NDP-5FPT-CAP POLYPRO & PTFE

Max GPM 3.1 | Polypro & PTFE | 1/4
NPT



SKU: 851562-CAP

Stock: 6 in stock (can be
backordered)

Categories: [AOD Pumps](#)

Tags: [Yamada Pumps](#)

Model Number NDP-5FPT-CAP

Part Number 851562-CAP

GALLERY IMAGES



www.pfcestore.com - 763-425-7890 / 800-328-2350

www.pfcstore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

3.4 Gallons/Minute Max.
1/4" NPT Fluid Port
Intake & Discharge Connection 1/4" Female NPT
Air Inlet 1/4" Female NPT (includes ball valve)
Air Exhaust 3/8" Female NPT (includes silencer)
Air Supply Pressure (All Models) 20 to 100 PSI (1.4 to 7 kgf/cm²)
Discharge Volume Per Cycle 0.0085 gallons (35 cc)
Maximum Cycles Per Minute All diaphragms: 400
Maximum Dry Suction Lift 5-feet
Air Motor Standard: Ryton® Air Motor
Muffler Internal

MAXIMUM LIQUID TEMPERATURE FITTED WITH PTFE DIAPHRAGM
Groundable Acetal 180F (82C)
Polypropylene (PPG) 180F (82C)
Kynar® (PVDF) 212F (100C)
Aluminum (ADC-12) 212F (100C)
Stainless Steel (316) 212F (100C)

Estimated delivery 1 to 4 days

Contact us for actual lead time

Product photo could vary from the actual product

[Curves & Specs](#)

ADDITIONAL INFORMATION

Weight

7 lbs

www.pfcestore.com - 763-425-7890 / 800-328-2350

Dimensions	14 × 12 × 12 in
Connections	<u>1/4"NPT</u>
Max GPM	<u>3.1</u>
Wetted Material	<u>POLYPRO-PTFE</u>