


www.pfcstore.com - 763-425-7890 / 800-328-2350



YAMADA AOD PUMP NDP-5FPT POLYPRO & PTFE

Max GPM 3.1 | Polypro & PTFE | 1/4
NPT



SKU: 851562

Stock: 50 in stock (can be
backordered)

Categories: [Yamada AODD
Pumps](#)

Model Number 851562

Part Number NDP-5FPT

PRODUCT DESCRIPTION

3.4 Gallons/Minute Max.

1/4" NPT Fluid Port

Intake & Discharge Connection 1/4" Female NPT

Air Inlet 1/4" Female NPT (includes ball valve)

Air Exhaust 3/8" Female NPT (includes silencer)

Air Supply Pressure (All Models) 20 to 100 PSI (1.4 to 7 kgf/cm²)

Discharge Volume Per Cycle 0.0085 gallons (35 cc)

Maximum Cycles Per Minute All diaphragms: 400

Maximum Dry Suction Lift 5-feet

www.pfcstore.com - 763-425-7890 / 800-328-2350

Air Motor Standard: Ryton® Air Motor
Muffler Internal

MAXIMUM LIQUID TEMPERATURE FITTED WITH PTFE DIAPHRAGM

Groundable Acetal 180F (82C)
Polypropylene (PPG) 180F (82C)
Kynar® (PVDF) 212F (100C)
Aluminum (ADC-12) 212F (100C)
Stainless Steel (316) 212F (100C)

Estimated delivery 1 to 4 days

Contact us for actual lead time

Product photo could vary from the actual product

[Curves & Specs](#)

ADDITIONAL INFORMATION

Weight	5 lbs
Dimensions	14 × 12 × 12 in
Connections	1/4"NPT
Max GPM	3.1
Wetted Material	POLYPRO-PTFE

Max GPM 3.1 | Polypro & PTFE | 1/4 NPT

www.pfcestore.com - 763-425-7890 / 800-328-2350