GRUNDFOS MQ

http://qr.grundfos.com/i/MQinstallation

be
think
innovate

GRUNDFOS


Off
On
Max. 15 m / 49 feet
150 mm/6 inches
320 mm / 12.6 inches
570 mm / 22.4 inches
Max. 3 bar /40 PSI
Example:
1 x 220-240 V, 50 Hz


Included accessory
PN: 98969446
Off
On
Max. 15 m / 49 feet
Max. 8 m / 26 feet
150 mm/6 inches
320 mm / 12.6 inches
570 mm / 22.4 inches
Example:
1 x 220-240 V, 50 Hz


GRUNDFOS
Accessory
PN: 96693071
GRUNDFOS
GRUNDFOS


1
GRUNDFOS


190 mm / 7.5 inches
114 mm /
4.5 inches

GRUNDFOS
Max. 18 °


2
GRUNDFOS
4 x


3
GRUNDFOS


4
4.5 - 5 Litres /
1.2 - 1.3 gallons


5
Off
On
On/Off
Pump on
Auto reset
Alarm


6
Off
On
On/Off
Pump on
Auto reset
Alarm



Further product documentation

net.grundfos.com/qr/i/V7164915

GRUNDFOS Holding A/S
Poul Due Jensens Vej 7
DK-8850 Bjerringbro
Tlf.: +45-87 50 14 00

98338977 0216

ECM: 1178728

be think innovate

The name Grundfos, the Grundfos logo, and the payoff be think innovate are registered trademarks owned by Grundfos Holding A/S or Grundfos A/S, Denmark. All rights reserved worldwide.