Submittal Data

PROJECT:	UNIT TAG:	QUANTITY:
	TYPE OF SERVICE:	
REPRESENTATIVE:	SUBMITTED BY:	DATE:
ENGINEER:	APPROVED BY:	DATE:
CONTRACTOR:	ORDER NO.:	DATE:


CUE 1X200-240V IP21 3,7KW



CUE

Note! Product picture may differ from actual product

Conditions of Service	Pump Data		Motor Data	
	Maximum ambient temperature:	113 °F	Mains frequency:	50 / 60 Hz
	Approvals:	CE, CULUS, C-TICK	Enclosure class:	IP21
	Product number:	99616615	Motor protection:	YES
			Thermal protection:	external



Materials:

7.87"

7.87"



Date:

26/10/2023

Qty. | Description

1 CUE 1X200-240V IP21 3,7KW



Note! Product picture may differ from actual product

Product No.: 99616615

CUE is a complete range of external frequency converters designed for speed control of a wide range of Grundfos pumps. CUE has a built-in PI controller and offers the same functionality and user-interface as Grundfos E-pumps. CUE solutions can thus be seen as an extension to the E-pump range.

By choosing a CUE-solution, you will get the following benefits:

- Grundfos E-pump functionality and user-interface
- application- and pump-family-related functions
- increased comfort compared to fixed-speed pumps
- very easy installation and commissioning compared to standard frequency converters
- speed control of pumps up to 250 kW
- speed control of pumps installed in potentially explosive environments.
- CUE offers the following inputs and output:
 - RS-485 GENIbus
 - an analog 0-10 V input for external setpoint
 - an analog 0/4-20 mA input for sensor
 - four digital inputs for various functions, for instance external start/stop
 - two signal relays (C/NO/NC).

Accessories:

Input/output add-on board

Provides additional input:

- one 0/4-20 mA analog input for an additional sensor
- one 0-20 mA analog output
- two inputs for Pt100/Pt1000 temperature sensors, for instance for bearing monitoring.

Motor filters:

For reduction of dU/dt and peak voltages to the motor windings and for reduction of the acoustic noise generated in the motor, a number of motor filters are offered:

- dU/dt filters , 11-250 kW
- Sine wave filters, 0.55-250 kW.

Technical: Approvals:

CE, CULUS, C-TICK

Installation: Range of ambient temperature: Relative humidity:	32 113 °F 5-95 %
Electrical data:	
Rated power - P2:	5 HP
Mains frequency:	50 / 60 Hz
Rated voltage:	1 x 200-240 V
Rated current:	16.7 A
Maximum current consumption:	16.7 A
Efficiency at full load:	96 %
Enclosure class (IEC 34-5):	IP21
Others:	
Net weight:	50.7 lb
Gross weight:	51.2 lb
Danish VVS No.:	382994237
Country of origin:	US



Date:

26/10/2023

Qty. | Description


1 Custom tariff no.:


8504.40.4000





7/16


Description	Value
General information:	
Product name:	CUE 1X200-240V IP21 3,7KW
Product No:	99616615
EAN number:	5713831973201
Technical:	
Approvals:	CE, CULUS, C-TICK
Installation:	
Range of ambient temperature:	32 113 °F
Relative humidity:	5-95 %
Mounted on:	Wall
Electrical data:	
Rated power - P2:	5 HP
Mains frequency:	50 / 60 Hz
Rated voltage:	1 x 200-240 V
Rated current:	16.7 A
Maximum current consumption:	16.7 A
Efficiency at full load:	96 %
Enclosure class (IEC 34-5):	IP21
Built-in motor protection:	YES
Thermal protec:	external
Cable length:	150/300 m
Others:	
Net weight:	50.7 lb
Gross weight:	51.2 lb
Danish VVS No.:	382994237
Country of origin:	US
Custom tariff no.:	8504.40.4000












GRUNDFOS


Company name: Created by: Phone:

Date:

26/10/2023

99616615 CUE 1X200-240V IP21 3,7KW







Date:

26/10/2023

99616615 CUE 1X200-240V IP21 3,7KW

