





| Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | <p data-bbox="204 371 272 405"><b>MI 301</b></p> <div data-bbox="261 416 525 741">  </div> <p data-bbox="595 723 1062 745">Note! Product picture may differ from actual product</p> <p data-bbox="204 757 464 779">Product No.: <a href="#">98046408</a></p> <p data-bbox="204 826 1449 902">The Grundfos GO Remote is used to establish wireless connection to a Grundfos product, using a standard Android or iOS platform, with the Grundfos GO Remote App installed. The App is available from Apple App Store and Google Play free of charge.</p> <p data-bbox="204 949 1453 1025">The MI 301 is a module with built-in infrared and radio communication. It must be used in conjunction with an Android or iOS-based Smartphone with Bluetooth Low Energy connection. The MI 301 module has rechargeable Li-ion battery and must be charged separately.</p> <p data-bbox="204 1072 1382 1122">The pump/system can be monitored and controlled from the Grundfos GO, and it will be possible to create pdf reports. The specific functions available depend on each individual product.</p> <p data-bbox="204 1169 475 1191">Supplied with the product</p> <ul data-bbox="204 1198 746 1296" style="list-style-type: none"> <li>• Grundfos MI 301</li> <li>Battery charger</li> <li>Quickguide</li> </ul> |

| Description                   | Value                                 |
|-------------------------------|---------------------------------------|
| <b>General information:</b>   |                                       |
| Product name:                 | MI 301                                |
| Product No:                   | 98046408                              |
| EAN number:                   | 5710628055591                         |
| <b>Installation:</b>          |                                       |
| Range of ambient temperature: | -4 .. 158 °F                          |
| Relative humidity:            | 95 %                                  |
| Operating temp.:              | 14 °F                                 |
|                               | 122 °F                                |
| <b>Electrical data:</b>       |                                       |
| Voltage supply:               | Li-ion battery 3.7 V, 560 mAh, 2.1 Wh |
| Maximum current consumption:  | 0.03 A                                |
| Enclosure class (IEC 34-5):   | IP40                                  |
| <b>Others:</b>                |                                       |
| Danish VVS No.:               | 380679301                             |
| Swedish RSK No.:              | 5731821                               |
| Finnish LVI No.:              | 4615956                               |
| Norwegian NRF no.:            | 9040866                               |
| Country of origin:            | TH                                    |
| Custom tariff no.:            | 8517.69.0000                          |



**98046408 MI 301**



Note! All units are in [in] unless others are stated.  
Disclaimer: This simplified dimensional drawing does not show all details.