

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350



## GRUNDFOS DDA-C 7.5-16 PUMPS WITH PVC & PTFE

Max 2 GPH, 145 PSI | FCM Control |  
Wetted Material PVC, PTFE,  
Ceramic | Install Kit Included | Drop  
in replacement for the 97722441

Contact us for lead time



---

**SKU:** 93064962

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Grundfos DDA Pumps](#)

**Tags:** [GRUNDFOS DDA PUMPS](#)

**Model Number** DDA 7.5-16 FCM-  
C-PVC/T/C-F-31U7U7BG

**Part Number** 93064962

## PRODUCT DESCRIPTION

The SMART Digital DDA-C is a compact positive-displacement diaphragm dosing pump with variable-speed drive (stepper motor) and intelligent control electronics with minimum energy consumption.

The SMART Digital Dosing series operates at full stroke length to ensure

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

optimum accuracy, priming and suction,  
even for high-viscosity or degassing liquids.

Depending on the set capacity, the duration of the discharge stroke varies,  
ensuring an optimal, uniform and  
continuous discharge flow.

The click-stop mounting plate allows installation in three different positions  
without using any additional accessories.

The control cube can be easily turned to the front, left or right position.

The click wheel and the multi-coloured backlit graphic plain-text LC display  
enable intuitive commissioning and  
operation.

The control elements are protected by a transparent cover.  
The DDA-C has built-in connectivity that allows easy

[Grundfos DDA Spec & Curve](#)

[Grundfos Controller Functions](#)

[Grundfos DDA Databook](#)

[Grundfos Chemical Chart](#)

## ADDITIONAL INFORMATION

|                        |                                             |
|------------------------|---------------------------------------------|
| <b>Weight</b>          | 10 lbs                                      |
| <b>Dimensions</b>      | 17 × 13 × 14 in                             |
| <b>Connections</b>     | <a href="#"><u>1/4"OD-3/8"OD-1/2"OD</u></a> |
| <b>Controller Type</b> | <a href="#"><u>FCM</u></a>                  |
| <b>Max GPH</b>         | <a href="#"><u>2</u></a>                    |
| <b>Max PSI</b>         | <a href="#"><u>150</u></a>                  |

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

|                        |                         |
|------------------------|-------------------------|
| <b>Motor Type</b>      | <u>Stepper Motor</u>    |
| <b>Wetted Material</b> | <u>PVC-PTFE-CERAMIC</u> |